

OPERATOR CONSOLE WIGGINS MARINA BULL

*Wiggins has been manufacturing
marina forklifts for over 40 years.
That's 25 years longer than anyone
else in the industry.*



WIGGINS MARINA		MODEL #		DATE OF MFG	
SERIAL #		LIFT CAPACITY		LOAD CENTER TO LIFT HEIGHT	

CONSOLE CONSTRUCTION

All Wiggins Marina Bull LoPro Operator Consoles are constructed from corrosion-resistant fiberglass with slip-resistant flooring. Repairs can be performed by the same local craftsmen who repair boat fiberglass and gel coats.



ERGONOMIC CONSOLE

Wiggins ergonomic console creates optimum operator comfort.

COMFORT AND CONTROL

AIR RIDE SEAT

Air Ride seat with occupancy sensor, seat belt, and adjustable arms. Seat upgrades are available, such as seat heaters, headrests, and seat covers.

TILT STEERING

Tilt steering wheel with horn and column shifter.

GAUGE & SAFETY DISPLAY

IQAN MD4 gauge display with integrated backup camera and light controls, mounted on an adjustable swivel arm to accommodate all operators. Wiggins Patented StabiLift™ System informs the operator of boat weight and capacity and prevents accidental overload.

HYDRAULIC PILOT CONTROL LEVERS

Conveniently placed function controls that use hydraulic pilot control levers to ensure continued operation even without IQAN functionality. Wiggins does not use electric or electronic function controls that have lower reliability in salt air/water environment.

STANDARD FUNCTIONS

A two-axis joystick allows both mast tilt and carriage lift/lower using one control, the two most commonly used functions. The next four standard functions are negative lift/lower - left fork position - right fork position - coordinated fork side shift.

FOOT PEDALS

Three pedals: Right foot pedals for throttle and brake, as in cars and trucks. A third pedal for the left foot gives hydraulic de-clutch, allowing for inching or creeping while at the rack, and allowing

for high throttle boat raising without having to shift out of gear. Wiggins inching pedal also applies the service brake at full de-clutch providing a smooth control of forward movement while racking.

BRAKING

Parking Brake and Emergency Stop Button

CONVENIENCE AND SAFETY

- » Cup holder (all consoles) and mug holder (Wide View and Clear View consoles)
- » USB Charge Port, 12v accessory power socket
- » Side mirrors and Backup Camera
- » LED Light Bars provide daylight inside the rack building
- » Convenient handrails and grab handles
- » Weather Resistant box for printed copy of Operator Safety Manual

DURABILITY AND QUICK SERVICE

- » Brake pedal has a stainless hinge pin
- » Tilt up console on wide models allow easy access to engine compartment
- » Display provides diagnostic codes, messages, and warnings, along with conventional gauges showing temperatures, pressures, RPM, and engine hours



EASY MAINTENANCE

Wiggins tilt cab allows for easy powertrain maintenance.

HYDRAULIC LEVERS

Wiggins does not use electric or electronic function controls that have lower reliability in salt air/water environment.





COMFORT & CONVENIENCE

Air ride seats, cup holders, and USB charging ports help provide a comfortable & convenient ride.

ADDITIONAL STANDARD FEATURES

- » Rustproof, corrosion resistant fiberglass, ergonomic console, slip-resistant flooring
- » Repairs can be done by local boat fiberglass repair
- » Air ride seat with occupancy sensor, seat belt & adjustable arms. Optional: headrest, seat cover, & seat heater
- » Cup holder
- » USB charge port
- » 12v charge port
- » MD4 iqan with swivel mount
- » Iqan display for gauges, diagnostics, StableLift™, boat weight, operator manual, back up camera
- » Tilt steering column
- » SST pin on brake pedal
- » Throttle, brake, inching pedal for precise controls
- » Horn
- » Parking brake
- » Emergency stop
- » Accessible from both sides
- » Optional iPad mount
- » Strobe light
- » LED light bar forward and reverse on overhead guard



LED LIGHT BARS

Powerful LED light bars on front and rear overhead guard.

WIGGINS LIFT COMPANY

www.wigginslift.com
info@wigginslift.com

2571 Cortez Street
Oxnard, CA 93036

